



CV. CARMEL HILL MACHINERY

All Kinds of Packaging, Sealing, and Filling Machine


Jl. IR Rais no.81 MALANG – Jawa Timur

Personal Call / Whatsapp : 081-252-160-260

Email : info@mesin77.com

PAPER STRAW PACKAGING MACHINE (SINGLE PACK)





OPTIONAL : WITHOUT PRINTING or WITH TWO COLOR PRINTING

Power: 380V/3 Phases/50HZ (220V can be customized)

Packing Material:

A: **BOPP Film**

Thickness: Around 0.018mm

B: **Packing Paper / PE Coated Paper**

Gram Weight: 24g or 28g

Minimum Width: Straw Perimeter+12mm

Main Technical Specification

| | | | |
|--------------------------|------------------|----|------------------------|
| Straw & Packing Material | Straw Length | mm | 130 - 270 (standard) |
| | Straw Dia. | mm | Ø 5 - Ø 13 |
| | Packing Material | | BOPP Film / Paper |
| | Paper Width | mm | 27 - 55 |

| | | | |
|---------|------------------------------|---------|-----------------------------------|
| Machine | Packing Mode | | 3 Side sealing |
| | Printing (Optional) | | 1 / 2 / 3 water base ink printing |
| | Counter | set | 1 |
| | Capacity | pcs/min | 500-800 |
| | Applied Power | kw | 0.75 KW + Inverter |
| | Dimension LxWxH | mm | 1650 x 1250 x 1800 |
| | Weight | kg | 350 |

General Description

Single Straw Automatic Packing Machine comprises driving motor, driving system, paper-roll unwinding device, straw-feeding device, automatic sealing device, conveying device for finished products, etc. It can seal the film as well as paper. With regards to paper packing, two color or three color printing is also available. The machine is highly automatic, and has high production speed, which can complete feeding and packing at one time. The machine is easy to operate, reliable and can save much of your cost.

Features

1. This machine used to packing straight and flexible straw (Airtistic Straw) with one machine.
2. Packing material used by automatic tension control, make the package more compact.
3. Automatic counting device with pneumatic arm.
4. Integration fuction with feeding, packing, sealing.
5. Superior high speed with easy operation